

BMT/S/2020/DHP-Gujarat  
25<sup>th</sup> February, 2020

**CORRIGENDUM-3**

Dear Sir/Madam,

**Sub.: Rectification/Addition of item in Part-3 Contract & other conditions and specification of tender under Subhead-6 Schedule of finishes & specifications for dwelling Units in respect of e-tender published on [www.eprocure.gov.in](http://www.eprocure.gov.in) on 3<sup>rd</sup> February 2020 for construction of Demonstration Housing Project (G+3) for allotment to PMAY Beneficiaries on Design & Build Using Emerging Technology including on site infrastructure work at Hathijan, Ahmedabad, Gujarat**

This has reference to the Bid No. BMT/S/2020/DHP-Gujarat published on CPPP on 03.02.2020 and subsequent corrigendum - 01& 02 dated 14-02- 2020 and 24-02-2020 respectively for construction of Demonstration Housing Project (G+3) for allotment to PMAY Beneficiaries on Design & Build Using Emerging Technology including on site infrastructure work at Hathijan, Ahmedabad, Gujarat.

2. In Part 3 of Contract & other conditions and specification of tender under subhead- 6 Schedule of finishes & specifications the following item shall be included in finishing at 6.7

Sl.no	Item of Work	Specification
1	False Ceiling (As per proposed Technology requirement and for those technologies in which steel / RCC beams are visible at ceiling.	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5


हम हिन्दी में किये गये पत्राचार का स्वागत करते हैं।

कोर 5ए, प्रथम तल, भारत पर्यावास केन्द्र, लोदी रोड, नई दिल्ली - 110003; दूरभाष: 91-11-24636705; फ़ैक्स: 91-11-24642849  
Core 5A, 1<sup>st</sup> Floor, India Habitat Centre, Lodi Road, New Delhi - 110 003; Tel: 91-11-24636705; Fax: 91-11-2464 2849

E-mail: [info@bmtpc.org](mailto:info@bmtpc.org); [bmtpc.ihc@gmail.com](mailto:bmtpc.ihc@gmail.com) Website: [www.bmtpc.org](http://www.bmtpc.org)

		x 25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound , jointing tapes finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the authorized representative of BMTPC with painting with 12.5 mm thick tapered edge gypsum moisture resistant board.
--	--	--

3. Remaining terms and conditions will be the same as mentioned in the Bid document dated 03 February 2020 and subsequent corrigendum-01 & 02 dated 14-02- 2020 and 24-02-2020 respectively.



(Dr Shailesh Kr. Agrawal)  
Executive Director